

订货信息


ES415		
带有传感器电源的A/D模块,100kHz的采样率(4-CH) E	ES415.1	F-00K-107-908

ES415的可选择附件

模拟与数字I/O

模拟输入分股电缆, Souriau 8ST12-35 - BNC (22mc-4x2fc), 0m3


CBAV400.1-0m3 F-00K-104-916



模拟输入分股电缆,Souriau 8ST12-35 - 明线(22mc-4x6c),2 m


CBAV411.1-2

F-00K-104-918



模拟输入分股电缆、电压/电流测量、Souriau 8ST12-35 – Lemo 1B PHG (22mc-4x6fc)、0m3


CBAV417.1-0m3 F-00K-111-855



隔离测量探头,840V隔离,4个通道,840V范围, Souriau 8ST12-35-4x 明线 (22mc-4x 2c),4x1m

CBN400.1-1


F-00K-107-227



隔离测量探头,840V隔离,4个通道,10V范围, Souriau 8ST12-35 - 4x明线(22mc - 4x 2c),4x1m

CBN401.1-1

F-00K-107-228



我们可根据您的规格定制电缆。如您需要更多关于定制电缆的信息,请联系您所在地区的ETAS销售代表。

关于ES400系统电缆和配件见ES400订货信息。