



주문정보




주문명	길이	쇼트 네임	주문번호
ES595 인터페이스 모듈			
ES595.1 인터페이스 모듈 (1xETK, 2xCAN, 2xLIN, 2xFlexRay, 1xEthernet)		ES595.1	F-00K-106-866
포함사양 CBP120-2 전원 공급 케이블 및 CBE100-3 이더넷 PC 커넥션 케이블			
ES595을 위한 옵션사항			

A - 파워 서플라이

전원 케이블, Lemo 1B FGJ - Banana (2mc-2mc), 2 m	2.00 m 6.56 ft	CBP120-2	F-00K-102-584
---	-------------------	----------	---------------



전원 케이블, Lemo 1B FGJ - Safety Banana (2mc-2mc), 2 m	2.00 m 6.56 ft	CBP1205-2	F-00K-110-023
--	-------------------	-----------	---------------



B - PC 또는 ES51x 모듈과의 이더넷 커넥션

이더넷 PC 커넥션 케이블, Lemo 1B FGG - RJ45 (8mc-8mc), 3 m	3.00 m 9.84 ft	CBE100-3	F-00K-102-559
--	-------------------	----------	---------------



이더넷 PC 커넥션 케이블, Lemo 1B FGG - RJ45 (8mc-8mc), 8 m	8.00 m 26.25 ft	CBE100-8	F-00K-102-571
--	--------------------	----------	---------------




C - CAN 커넥션


CAN 인터페이스 케이블, Lemo 1B FGC - 2xDSUB (8mc-9fc+9mc), 2 m	2.00 m 6.56 ft	K106	F-00K-001-271
---	-------------------	------	---------------



CAN 인터페이스 Y-Cable, Lemo 1B FGC - Lemo 0S PCA - LEMO 0S FFA (8mc- 2fc+2mc) , 2 m	2.00 m 6.56 ft	K107	F-00K-001-272
--	-------------------	------	---------------




CAN 인터페이스 케이블, OBDII J1962 - Lemo 1B FGC (16mc-8mc), 2m5	2.50 m 8.20 ft	CBAC150-2m5	F-00K-104-159
---	-------------------	-------------	---------------



CAN 120 Ω 터미네이션 저항기, 2xDSUB
(9fc+9mc)

CBCX131.1-0

F-00K-103-786




CAN 인터페이스 케이블, Lemo 1B FGC -
Banana (8mc - 2mc), 1m5

1.50 m
4.92 ft

CBAC160.1-1m5

F-00K-106-116




CAN 인터페이스 케이블, DSUB - DSUB (9fc-
9mc), 2 m

2.00 m
6.56 ft

CBCX130-2

F-00K-103-784




C - CAN / LIN / FlexRay 커넥션

CAN, FlexRay 및 LIN 인터페이스 Y-케이블,
Lemo 1B FGC - 2xDSUB (8mc-9fc+ 9mc), 2 m

2.00 m
6.56 ft

CBCFI100.1-2

F-00K-106-893




C - FlexRay 커넥션

FlexRay 터미네이션 저항기 100 Ω , 2xDSUB
(9fc-9mc)

CBFX131.1-0

F-00K-104-689



D - ETK 커넥션

ETK 인터페이스 케이블 100 Mbit/s, Lemo 1B
FFG - Lemo 1B FFG (4mc-4mc), 3 m

3.00 m
9.84 ft

CBM150-3

F-00K-102-556



ETK 인터페이스 케이블 100 Mbit/s, Lemo 1B
FFG - Lemo 1B FFG (4mc-4mc), 5 m

5.00 m
16.40 ft

CBM150-5

F-00K-102-557



ETK 인터페이스 케이블 100 Mbit/s, Lemo 1B
FFG - Lemo 1B FFG (4mc-4mc), 10 m

10.00 m
32.81 ft

CBM150-10

F-00K-102-553



E - XETK 또는 ES910 모듈과의 이더넷 커넥션

이더넷 커넥션 케이블 1 GBit/s, Lemo 1B FGE -
Lemo 1B FGE (10mc- 10mc), 3 m

3.00 m
9.84 ft

CBE230-3

F-00K-105-757



이더넷 커넥션 케이블 1 GBit/s, Lemo 1B FGE -
Lemo 1B FGE (10mc- 10mc), 8 m

8.00 m
26.25 ft

CBE230-8

F-00K-105-758



F - XETK 또는 ES910 모듈과의 이더넷 커넥션

이더넷 커넥션 어댑터 케이블 1 GBit/s to 100 MBit/s, Lemo 1B PHE - Lemo 1B FGF (10fc-8mc), 0m5


0.50 m
1.64 ft CBAE330-0m5 F-00K-105-759



G - ES4xx 또는 ES63x 모듈과의 이더넷 커넥션

이더넷 PC 커넥션 케이블, 하이 플렉시블, Lemo 1B FGF - Lemo 1B FGL (8mc-8fc), 0m5

0.50 m
1.64 ft CBE401.1-0m5 F-00K-106-128



이더넷 PC 커넥션 케이블, Lemo 1B FGF - Lemo 1B FGL (8mc-8fc), 3 m

3.00 m
9.84 ft CBE400.2-3 F-00K-104-920




G - ES4xx 또는 ES63x 모듈과의 이더넷 커넥션 또는 전원 공급

이더넷 커넥션 및 전원 공급 케이블, Lemo 1B FGF - Lemo 1B FGL - Banana (8mc-8fc+2mc), 3 m


3.00 m
9.84 ft CBEP425.1-3 F-00K-105-972

이더넷 커넥션 및 전원 공급 케이블, Lemo 1B FGF - Lemo 1B FGL - Safety Banana (8mc-8fc+2mc), 3 m


3.00 m
9.84 ft CBEP4255.1-3 F-00K-110-029



이더넷 커넥션 및 전원 공급 케이블, Lemo 1B
FGF - Lemo 1B FGL - Banana (8mc-8fc+2mc), 3 m 3.00 m CBEP420.1-3 F-00K-105-292
9.84 ft



이더넷 커넥션 및 전원 공급 케이블, Lemo 1B
FGF - Lemo 1B FGL - Safety Banana (8mc-8fc+2mc), 3 m 3.00 m CBEP4205.1-3 F-00K-110-041
9.84 ft



H - ES520, ES59x, ES600, ES6xx 모듈과의 이더넷 커넥션

이더넷 커넥션 및 전원 공급 케이블, Lemo 1B
FGF - Lemo 1B FGD (8mc-8mc), 0m45 0.45 m CBE130-0m45 F-00K-102-748
1.48 ft



이더넷 커넥션 및 전원 공급 케이블, Lemo 1B
FGF - Lemo 1B FGD (8mc-8mc), 3 m 3.00 m CBE130-3 F-00K-102-587
9.84 ft



앵글러 커넥터를 포함한 이더넷 커넥션 및 전원
공급 케이블, Lemo 1B FMF - Lemo 1B FMD
(8mc-8mc), 0m45 0.45 m CBE140-0m45 F-00K-104-153
1.48 ft

